

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	67581	standard near2 deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:07
L3	2539	(standard near2 deviation) with noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:07
L4	30	(standard near2 deviation) with noise with log\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:21
L5	817	noise near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:22
L6	44	(noise near2 table) with (peak or max\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:23
L7	0	(noise near2 table) with (peak or max\$4) with deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:22
L8	0	(noise near2 table) with (peak or max\$4) same deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:23
L9	15	(noise near2 table) with (peak or max\$4) and deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:40

L10	44	(noise near2 table) with (peak or max\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:41
L11	1	(noise near2 table) with (peak or max\$4) with log\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:42
L12	4	(noise near2 table) with (peak or max\$4) same log\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:42
L13	6259	predict\$4 with nois\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:30
L14	17	predict\$4 with nois\$6 with (noise near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:52
L15	132	(sort\$4 or rank\$4) with noise with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:50
L16	60	(rank\$4) with noise with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:51
L17	132	(rank\$4 or sort\$4) with noise with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:51

L18	1	(rank\$4 or sort\$4) with noise with image with least	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:51
L19	132	(rank\$4 or sort\$4) with noise with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:52
L20	867044	((rank\$4 or sort\$4) near4 image) noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:52
L21	66	((rank\$4 or sort\$4) near4 image)with noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:15
L22	5190	max\$4 near2 noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:15
L23	585	(max\$4 near2 noise) with (locat\$4 or determin\$4 or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:17
L24	38	(max\$4 near2 noise) with (locat\$4 or determin\$4 or identif\$7) with (function or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:17
L25	62	predict\$4 with nois\$6 with human	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:31

L26	5	predict\$4 with nois\$6 with human with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:32
L27	8	estimat\$4 with nois\$6 with human with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:35
L28	11	estimat\$4 with nois\$6 with (human or perce\$4)with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:25
L29	21	(estimat\$4 or predict\$4) with (nois\$6 or artifact) with (human or perce\$4)with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:26
L30	30	(estimat\$4 or predict\$4) with (nois\$6 or artifact or distort\$4) with (human or perce\$4)with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:38
L31	2	"4920501".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:36
L32	2	"5517581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:38
L33	2	"5633511".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:52

S63	1628	382/254,275.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:11
S64	35	382/254,275.ccls. and (noise near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:13
S65	8	382/254,275.ccls. and ((noise near2 table) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:57
S66	137	382/254,275.ccls. and ((noise) with transform\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 08:58
S67	10	382/254,275.ccls. and ((noise) with transform\$5) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:00
S68	1	"5694484".PN.	USPAT; USOCR	OR	OFF	2005/04/28 15:20
S69	2	"5641596".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:05


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((noise)<in>metadata)<and>(logarithm<in>metadata))<and>(maximum <or> peak <or> largest<in>metadata))<and>(image <or> picture<in>metadata))"



Your search matched 10 of 40 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

Modify Search

» Key

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

Select Article Information

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **Nonparametric regression sinogram smoothing using a roughness-penalized Po objective function**
La Riviere, P.J.; Xiaochuan Pan;
Medical Imaging, IEEE Transactions on
Volume 19, Issue 8, Aug. 2000 Page(s):773 - 786
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(340 KB\)](#) IEEE JNL
- ☐ 2. **New range-based neighbourhood operator for extracting edge and texture inform mammograms for subsequent image segmentation and analysis**
Chandrasekhar, R.; Attikiouzel, Y.;
Science, Measurement and Technology, IEE Proceedings-
Volume 147, Issue 6, Nov. 2000 Page(s):408 - 413
[AbstractPlus](#) | Full Text: [PDF\(908 KB\)](#) IEE JNL
- ☐ 3. **Ultrasound image denoising via maximum a posteriori estimation of wavelet coe**
Achim, A.; Bezerianos, A.; Tsakalides, P.;
Engineering in Medicine and Biology Society, 2001. Proceedings of the 23rd Annual Int
Conference of the IEEE
Volume 3, 25-28 Oct. 2001 Page(s):2553 - 2556 vol.3
[AbstractPlus](#) | Full Text: [PDF\(578 KB\)](#) IEEE CNF
- ☐ 4. **On simple oversampled A/D conversion in shift-invariant spaces**
Wen Chen; Han, B.; Rong-Qing Jia;
Information Theory, IEEE Transactions on
Volume 51, Issue 2, Feb. 2005 Page(s):648 - 657
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) IEEE JNL
- ☐ 5. **Postinjection single photon transmission tomography with ordered-subset algor body PET imaging**
Chuanyong Bai; Kinahan, P.E.; Brasse, D.; Comtat, C.; Townsend, D.W.;
Nuclear Science, IEEE Transactions on
Volume 49, Issue 1, Feb. 2002 Page(s):74 - 81
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(399 KB\)](#) IEEE JNL
- ☐ 6. **Estimates of epsilon capacity for certain linear communication channels**
Root, W.;


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((((noise)<in>metadata)<and>(predict<in>metadata))<and>(Image<in>metadata))<and>(human<in>metadata))"



Your search matched 30 of 236 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)» **Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results set**Display Format:** ☒ Citation ☐ Citation & Abstract

- | Select | Article Information |
|--------------------------|---|
| <input type="checkbox"/> | 1. Channelized hotelling and human observer study of optimal smoothing in SPEC1 reconstruction
Oldan, J.; Kulkarni, S.; Yuxiang Xing; Khurd, P.; Gindi, G.;
Nuclear Science, IEEE Transactions on
Volume 51, Issue 3, June 2004 Page(s):733 - 741
AbstractPlus References Full Text: PDF (416 KB) IEEE JNL |
| <input type="checkbox"/> | 2. A wavelet visible difference predictor
Bradley, A.P.;
Image Processing, IEEE Transactions on
Volume 8, Issue 5, May 1999 Page(s):717 - 730
AbstractPlus References Full Text: PDF (3724 KB) IEEE JNL |
| <input type="checkbox"/> | 3. Perception of temporally filtered X-ray fluoroscopy images
Wilson, D.L.; Jabri, K.N.; Aufrichtig, R.;
Medical Imaging, IEEE Transactions on
Volume 18, Issue 1, Jan. 1999 Page(s):22 - 31
AbstractPlus References Full Text: PDF (416 KB) IEEE JNL |
| <input type="checkbox"/> | 4. A distortion measure for blocking artifacts in images based on human visual sen
Karunasekera, S.A.; Kingsbury, N.G.;
Image Processing, IEEE Transactions on
Volume 4, Issue 6, June 1995 Page(s):713 - 724
AbstractPlus Full Text: PDF (1104 KB) IEEE JNL |
| <input type="checkbox"/> | 5. Count rate dependence of local signal-to-noise ratio in positron emission tomog
Watson, C.C.;
Nuclear Science, IEEE Transactions on
Volume 51, Issue 5, Oct. 2004 Page(s):2670 - 2680
AbstractPlus References Full Text: PDF (1328 KB) IEEE JNL |
| <input type="checkbox"/> | 6. Optimal edge-based shape detection
Moon, H.; Chellappa, R.; Rosenfeld, A.;
Image Processing, IEEE Transactions on
Volume 11, Issue 11, Nov. 2002 Page(s):1209 - 1227
AbstractPlus References Full Text: PDF (2193 KB) IEEE JNL |